## CONTRACT DATA REQUIREMENTS LIST DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: TOOL KIT, FULL
TO CONTRACT/DR. D21HLOY2

	TO CONTRACT/PR: P21HLQ	X2		
1. SEQUE	NCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
3. SUBTI 4. DATA 5. CONTR	ITEM NUMBER ACT REFERENCE ICAL OFFICE 7. DD 8.	APP 9. DIST STA'		
12. DATE 16. REMA	UENCY 11. AS OF DATE OF 1ST SUBMISSION 13 RKS			ı:
1. A001			14. AMSTA-AR-CCL-F	/ /
	GURATION CHANGE CONTROLIGINEERING ACTIONS	*	(ECALS)	, ,
4. DI-CM	IAN-81554			
5. SECTI	ON C			
6. AMSTA	A-AR-ES 7. NO 8.	- 9. **		
10. ASRE	GQ 11		15. TOTAL	0/ 0/ 0
12. ASRE	CQ 13	. ASREQ		
ECAI **DI URAT LEES	ARKS PARE ENGINEERING ACTIONS AS WORLDWIDE WEB PAGE HT ESTRIBUTION STATEMENT WI TION MANAGER.THE POC FOR GOPICA.ARMY.MIL.	TP://EDMD4.PICA.A LL BE ASSIGNED AN ECALS IS LEE SAD	RMY.MIL/.*DATA IND IMPLEMENTED BY AUSKAS,AMSTA-AR-(	FORMATION PACKET THE DOD CONFIG- QAW,(973)724-6626
1. A002			14.	
	PROCEDURE/ PHOSPHATE CO	ATING PRE-	PROCUREMENT CONTRACTING OFFICER	/ / / / / 1/
4. DI-NI	TI-80603*			
5. MIL-I	PTL-16232,PARA 3.1			
6. AMSTA	A-AR-WEP-RM 7. XX 8	. A 9. N/A		
10. ONE/	'R 11. N/A		15. TOTAL	0/ 1/ 0
12. 60 I	DAC 13	. N/A		
OFF]	ARKS  CK 8 CONTPRIOR TO PROD  CCER IS REQUIRED WITHIN  IS NOT REQUIRED FOR PHO	60 DAYS AFTER CON	TRACT AWARD. A DI	

ETHIBIT A
PAGE 1 OF 2

CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

1. A003 14.
PROCUREMENT / /
2. TEST PROCEDURE-PHOSPHATE COATING CONTRACTING / /
3. PRE-PRODUCTION PROCEDURE OFFICER / 1/

4. DI-NDTI-80603\*

5. TT-C-490, TYPE 1, PAR 3.2

6. AMSTA-AR-WEP-RM 7. XX 8. A 9. N/A

10. ONE/R 11. N/A 15. TOTAL 0/ 1/ 0

12. 60 DAC 13. N/A

## 16. REMARKS

BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

-----

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD DATE: 05/15/2001

## **DOCUMENT SUMMARY LIST**

Item: TOOL KIT, FULL NSN: 5180-01-203-8552

Control Number/PRON: P21HLQX2

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

## **DOCUMENT CATEGORY:**

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549	Configuration Management	30 Jun 97
Table DIP 4-1	Data Interface	Cat 2
1b. DI-CMAN-81554	Configuration Change Control	30 Jun 97
(seq A001)	Data Information Packet	Cat 2
ANSI/ISO/ASQC Q9003     or equivalent	Quality Systems-Model for Quality Assurance in Final Inspection and	18 Jul 94 Test
3a. MIL-DTL-16232G	Phosphate Coating Heavy	07 Jan 00
(TDPL)	Manganese or Zinc Base	Cat 2
3b. DI-NDTI-80603	Test Procedure	01 Jun 88
(DD Form 1423)		Cat 1
4a. TT-C-490D	Cleaning Methods for Ferrous	14 Sep 94
Amd 1 (TDPL)	Surfaces and Pretreatment for Organic Coating	Cat 2
4b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1
(==::::::::::::::::::::::::::::::::::::		